

BEST AVAILABLE COPY

PATENT

Serial No. 10/008,195

Amendment in Reply to Final Office Action mailed on January 24, 2006

IN THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A method ~~of operating a device for~~ determining a best-case response time of a first periodic task ~~performed within the device,~~ the method comprising the acts of:

~~a first step of determining that the first periodic task~~ performed within the device has a lower priority than a higher priority of a second periodic task,

~~characterized in that the method further comprises:~~

~~a second step of determining that the best-case response~~ time of the first periodic task is as being substantially equal to the difference between a start of the first periodic task and a completion of the first periodic task, the start being right after a release of the first periodic task and the completion coinciding with a release of the second periodic task, and

PATENT

Serial No. 10/008,195

Amendment in Reply to Final Office Action mailed on January 24, 2006

outputting the best-case response time, wherein the best-case response time of the first periodic task BR_i is substantially equal to the largest value that satisfies:

$$BC_i + \sum_{j \in hp(i)} \left(\left\lceil \frac{BR_i}{T_j} \right\rceil - 1 \right) BC_j$$

wherein BC_i denotes a best-case computation time of the first periodic task τ_i , $hp(i)$ denotes a set of tasks with a higher priority than the lower priority, and T_j denotes a period of activation of a task j of $hp(i)$.

Claim 2 (Canceled)

3. (Currently Amended) A The method of determining a best-case response time of a first periodic task according to claim 2 claim 1, wherein WR_i denotes a worst-case response time of the first periodic task τ_i and the best-case response time BR_i can be found by an iterative procedure of k iterations, where $k = 0, 1, \dots$ comprising:

$$BR_i(0) = WR_i$$

$$BR_i(k+1) = BC_i + \sum_{j \in hp(i)} \left(\left\lceil \frac{BR_i(k)}{T_j} \right\rceil - 1 \right) BC_j$$

PATENT
Serial No. 10/008,195
Amendment in Reply to Final Office Action mailed on January 24, 2006

wherein the iterative procedure terminates when the same value is found for two successive iterations of k .

4. (Currently Amended) ~~A~~-The method of determining a best-case response time of a first periodic task according to Claim 3, wherein the worst-case response time of the first periodic task is based upon a worst-case computation time of the first periodic task.

5. (Currently Amended) ~~A~~-The method of determining a best-case response time of a first periodic task according to Claim 3, wherein the worst-case response time of the first periodic task is based upon a best-case computation time of the first periodic task.

6. (Currently Amended) ~~A~~-The method of determining a best-case response time of a first periodic task according to claim 3, wherein RJ_1 denotes a release jitter of the first periodic task τ_1 , the release jitter being a variation in the release of the first periodic task and the release jitter having a negative contribution to the best-case response time:

PATENT

Serial No. 10/008,195

Amendment in Reply to Final Office Action mailed on January 24, 2006

$$BR_i(0) = WR_i$$

$$BR_i(k+1) = BC_i + \sum_{j \in hp(i)} \left(\left\lceil \frac{BR_i(k) - RJ_j}{T_j} \right\rceil - 1 \right)^+ BC_j$$

wherein x^+ denotes the maximum of 0 and x .

7. (Currently Amended) A system for determining a best-case response time of a first periodic task ~~performed within the system,~~ the system comprising a processor configured to:

~~determination means conceived to determine that the first periodic task performed within the system has a lower priority than a higher priority of a second periodic task,~~

~~characterized in that the system further comprises:~~

~~response time means conceived to determine that the best-case response time of the first periodic task is substantially equal to the difference between a start of the first periodic task right after its release and a completion of the first periodic task that coincides with a release of the second periodic task,~~

calculate the best-case response time of the first periodic task BR_i according to the following formula:

PATENT

Serial No. 10/008,195

Amendment in Reply to Final Office Action mailed on January 24, 2006

$$BR_i = BC_i + \sum_{j \in hp(i)} \left(\left\lceil \frac{BR_i}{T_j} \right\rceil - 1 \right) BC_j$$

wherein BC_i denotes a best-case computation time of the first periodic task τ_i , $hp(i)$ denotes a set of tasks with a higher priority than the priority of the first periodic task, and T_j denotes a period of activation of a task j of $hp(i)$.

Claim 8 (Canceled)

9. (Currently Amended) ~~A-The system (800)-of determining a best-case response time of a first periodic task according to claim 8 claim 7, wherein the system further comprising second calculation means (804) conceived processor is further configured to calculate the best-case response time denoted by BR_i according to the following iterative procedure of k iterations, where $k = 0, 1, \dots$:~~

$$BR_i(0) = WR_i$$

$$BR_i(k+1) = BC_i + \sum_{j \in hp(i)} \left(\left\lceil \frac{BR_i(k)}{T_j} \right\rceil - 1 \right) BC_j$$

wherein WR_i denotes a worst-case response time of the first periodic task τ_i and the iterative procedure terminates when the

PATENT

Serial No. 10/038,195

Amendment in Reply to Final Office Action mailed on January 24, 2006

same value is found for two successive iterations of k.

10. (Currently Amended) A The system (800) of determining a best-case response time of a first periodic task according to claim 7, ~~the system further comprising third calculation means (806)~~ conceived wherein the processor is further configured to calculate the best-case response time denoted by BR_i corrected for a release jitter, the release jitter being a variation in the release of the first periodic task:

$$BR_i(0) = WR_i$$

$$BR_i(k+1) = BC_i + \sum_{j \in hp(i)} \left(\left\lceil \frac{BR_i(k) - RJ_j}{T_j} \right\rceil - 1 \right)^+ BC_j$$

wherein RJ_i denotes the release jitter of the first periodic task τ_i , and x^+ denotes the maximum of 0 and x.

11. (Currently Amended) A computer readable medium storing a computer program product when executed arranged to perform the method according to Claim 1.

Claim 12 (Canceled)

PATENT
Serial No. 10/008,195
Amendment in Reply to Final Office Action mailed on January 24, 2006

13. (Currently Amended) A television set ~~(910)~~ comprising a the system according to Claim 7.

14. (Currently Amended) A set-top box ~~(1002)~~ comprising a the system according to Claim 7.

15. (Currently Amended) The set-top box of Claim 14 wherein system determines the processor is further configured to determine from the best-case response time of the first periodic task and a worst case response time of the first periodic task if a signal can be used by the system.

16. (Currently Amended) The television set of Claim 13 wherein system determines the processor is further configured to determine from the best-case response time of the first periodic task and a worst case response time of the first periodic task if a signal can be used by the system.

17. (Currently Amended) A set-top box comprising a processor

PATENT

Serial No. 10/008,195

Amendment in Reply to Final Office Action mailed on January 24, 2006

arranged to perform the method according to Claim 1 wherein the ~~method determines~~ processor is configured to determine from the best-case response time of the first periodic task and a worst case response time of the first periodic task if a signal can be used by the set-top box.

18. (Currently Amended) ~~The A~~ television set comprising a processor arranged to perform the method according to Claim 1 wherein ~~method determines the processor is configured to determine~~ from the best-case response time of the first periodic task and a worst case response time of the first periodic task if a signal can be used by the television set.

19. (Currently Amended) The system of Claim 7, wherein the ~~determination means determines~~ processor is further configured to determine that the first periodic task has the lower priority than a plurality of other tasks, ~~and the response time means determines~~ that the best-case response time of the first periodic task is substantially equal to the difference between the start of the first periodic task and the completion of the first periodic task,

PATENT

Serial No. 10/008,195

Amendment in Reply to Final Office Action mailed on January 24, 2006

the start being right after the release of the first periodic task and the completion coinciding with a release of the plurality of other periodic tasks.

20. (Currently Amended) The method of Claim 1, wherein the first step of determining act determines that the first periodic task has the lower priority than a plurality of other tasks, and the second step determining act determines that the best-case response time of the first periodic task is substantially equal to the difference between the start of the first periodic task and the completion of the first periodic task, the start being right after the release of the first periodic task and the completion coinciding with a release of the plurality of other periodic tasks.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER: _____**

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.